

**MEDICAL TRAVELERS, INC.**

Age Specific Exam

- 1. Whether a baby is held or not has no impact on his/her developmental task of maintaining trust.**

Your answer:

True  False

---

- 2. In the preschool-aged child, magical thinking needs to be suppressed in regards to hospitalization, so that the child does not feel guilty about being in the hospital or that he or she is being punished.**

Your answer:

True  False

---

- 3. During adulthood persons may find themselves viewing their lives from a new perspective and setting new goals for the future.**

Your answer:

True  False

---

- 4. The caregiver of an elderly patient (65-death) needs to be both a good listener and ask open-ended questions to elicit the best response.**

Your answer:

True  False

---

- 5. Verbalization of fears should be discouraged. It will only cause the school-aged child more anxiety.**

Your answer:

True  False

---

- 6. Privacy needs to be respected in the adolescent; however, visitors should be monitored due to the possibility of bringing in harmful substances.**

Your answer:

True  False

---

- 7. During hospitalization the young adult has no influence over the decisions made regarding their care.**

Your answer:

True  False

---

- 8. A person in the elderly developmental stage may have reduced recuperative abilities.**

Your answer:

True  False

---

- 9. "Honey", "Grandma", or "Sweetie", are all proper ways in which an elderly person should be referenced.**

Your answer:

True  False

---

- 10. Match the developmental goal to the stage of development. "To establish a personal identity"**

Your answer:

- Adolescent (13-20 yrs.)  
 Young Adult (21-39 yrs.)  
 Adulthood (40-64 yrs.)  
 Elderly (65-79)
-

**11. Older adults often have to change roles because:**

Your answer:

- It is an adventurous age.
  - They taking acting classes.
  - A spouse has died.
  - They develop schizophrenic delusions.
- 

**12. When they confront early signs of disease, young adult have a tendency to:**

Your answer:

- Blame them on a spouse.
  - Become fearful.
  - Deny them because they feel invulnerable.
  - Ask detailed questions about them.
- 

**13. At adolescence, risk-taking behavior:**

Your answer:

- Usually gives way to calmer thinking.
  - Is universally rejected by girls, but attracts boys.
  - Needs to be addressed.
  - Should be ignored.
-

**14. For young adults, nutritional needs:**

Your answer:

- Aren't yet important.
  - Shift from growth to health maintenance.
  - Focus on bone growth.
  - Focus on muscular growth.
- 

**15. If a procedure is going to hurt, you should tell a child:**

Your answer:

- That only babies cry at pain.
- That it won't hurt for long.
- That they should be brave.
- That it won't hurt at all.